FORA® PO200




Fingertip Pulse Oximeter

Bluetooth°










FEATURES





SPECIFICATIONS

Mode of Operation



	Ó
Model No.	FORA PO200
Dimension & Weight	H63 x W37x D32 mm, 40g without batteries
Connectivity	Bluetooth 4.0
Display	LCD
Battery Life	Batteries can be used continuously for 20 hours (for reference only, it depends on different brands of AAA alkaline batteries)
Power Source	Two 1.5V AAA alkaline batteries
External Output	0% to 100%
Resolution	1%
Accuracy	$100\% \sim 80\% \pm 2\%$; $79\% \sim 70\% \pm 3\%$; others are undefined.
Method	Dual wavelength LED
Pulse Rate	
Measurement Range	30 to 250bpm
Resolution	1bpm
Accuracy	±1bpm or ±1%, whichever is greater
Operating Conditions	10°C to 40°C; below 95% R.H. (non-condensing)
Meter Storage / Transportation Conditions	-13°F to 158°F (-25°C to 70°C); Below 95% R.H. (non-condensing)
	ζ,
Classification	, , , , , , , , , , , , , , , , , , ,
Classification Type BF Applied part	Type BF Applied part
Type BF Applied part	Type BF Applied part
Type BF Applied part Safety	Type BF Applied part IEC60601-1

Spot Check / Monitoring

ForaCare Suisse AG

Neugasse 55, CH-9000 St. Gallen, Switzerland

TEL: +41-71-220-1001 FAX: +41-71-220-1075

URL: www.foracare.ch | foraconnect.ch

E-mail: chservice@foracare.com



foracare ch